



AMENDMENTS TO AND LISTING OF CLAIMS

Kindly amend the Claims as follows:

1 & 2. (Canceled)

3. (Currently amended) A compound ~~according to claim 1~~ of formula IIIa or formula IIIb or a pharmaceutically-acceptable salt, ~~ester or prodrug~~ thereof:



wherein

~~R₂'' is optionally substituted phenyl, thiophenyl, benzthiophenyl, pyridinyl, naphthalenyl or indolyl aryl (including heteroaryl), wherein R₂''~~
any of which is/are optionally substituted by one or more to-three
substituents R₂₀, where each R₂₀ is independently selected from I, Br, Cl, F,
and R₂₃, wherein R₂₃ is selected from OH, halogen, CN, NO₂, -C(O)-R_x, -O-
C(O)-R_x, -S(O)-R_x, -S(O)₂-R_x, -CH₂-O-R_x, -NH-C(O)-R_x, and R₂₄, where R₂₄
is selected from or optionally substituted (lower linear- or branched-C₁-C₇-
alkyl, (including C₃-C₁₀-cycloalkyl), C₃-C₁₀-cycloalkyl-linear- or branched-C₁-
C₇-alkyl, lower linear- or branched-C₂-C₇-alkene, lower linear- or branched-
C₂-C₇-alkyne, lower linear- or branched-C₁-C₇-alkoxy, linear- or branched-
C₁-C₇-thioalkoxy, lower linear- or branched-C₂-C₇-alkenyloxy, linear- or
branched-C₂-C₇-thioalkenyloxy, lower linear- or branched-C₂-C₇-alkynyloxy,
linear- or branched-C₂-C₇-thioalkynyloxy, carbocyclic aryl, heteroaryl, or
heterocycloalkyl, and NH₂, wherein each R₂₄ may be substituted (optionally
mono- or disubstituted by one or two substituents independently selected
from lower linear- or branched-C₁-C₇-alkyl, carbocyclic aryl, heteroaryl,
carbocyclic aryl- lower linear- or branched-C₁-C₇-alkyl, heteroaryl-linear- or

~~branched-C₁-C₇-alkyl, heterocycloalkyl or heterocycloalkyl- lower linear- or~~
~~branched-C₁-C₇-alkyl) or C(O)-R_x, -O-C(O)-R_x, -S(O)-R_x, -S(O)₂-R_x, -CH₂-~~
~~O-R_x or -NH-C(O)-R_x, where R_x is as defined above), and wherein R₂₀ each~~
~~R₂₃ is optionally substituted by one or more to four substituents R₂₄~~
~~independently selected from I, Br, Cl, F, and R₂₅, where R₂₅ is selected from~~
~~OH, halogen, CN, NO₂, -C(O)-R_x, -O-C(O)-R_x, -S(O)-R_x, -O-S(O)-R_x, -CH₂-~~
~~O-R_x, -NH-C(O)-R_x, and R₂₆, where R₂₆ is selected from or optionally~~
~~substituted (lower linear- or branched-C₁-C₇-alkyl, (including C₃-C₁₀-~~
~~cycloalkyl), C₃-C₁₀-cycloalkyl-linear- or branched-C₁-C₇-alkyl, lower linear-~~
~~or branched-C₂-C₇-alkene, lower linear- or branched-C₂-C₇-alkyne, lower~~
~~linear- or branched-C₁-C₇-alkoxy, linear- or branched-C₁-C₇-thioalkoxy,~~
~~lower linear- or branched-C₂-C₇-alkenyloxy, linear- or branched-C₂-C₇-~~
~~thioalkenyloxy, lower linear- or branched-C₂-C₇-alkynyloxy, linear- or~~
~~branched-C₂-C₇-thioalkynyloxy, carbocyclic aryl, heteroaryl,~~
~~heterocycloalkyl, and NH₂, where each R₂₆ may be substituted (optionally~~
~~mono- or disubstituted by one or two substituents independently selected~~
~~from lower linear- or branched-C₁-C₇-alkyl, carbocyclic aryl, heteroaryl,~~
~~carbocyclic aryl- lower linear- or branched-C₁-C₇-alkyl, heteroaryl-linear- or~~
~~branched-C₁-C₇-alkyl, heterocycloalkyl or heterocycloalkyl- lower linear- or~~
~~branched-C₁-C₇-alkyl) or C(O)-R_x, -O-C(O)-R_x, -S(O)-R_x, -O-S(O)-R_x, -~~
~~CH₂-O-R_x, or -NH-C(O)-R_x, where R_x is as defined above), and wherein~~
~~each R₂₄ R₂₅ is optionally substituted by one or more to three substituents~~
~~R₂₂ R₂₇ independently selected from I, Br, Cl, F and R₂₈, where R₂₈ is~~
~~selected from OH, halogen, CN, NO₂, -C(O)-R_x, -O-C(O)-R_x, -S(O)-R_x, -O-~~
~~S(O)-R_x, -CH₂-O-R_x, -NH-C(O)-R_x, or lower linear- or branched-C₁-C₇-alkyl,~~
~~(including C₃-C₁₀-cycloalkyl), C₃-C₁₀-cycloalkyl-linear- or branched-C₁-C₇-~~
~~alkyl, lower linear- or branched-C₁-C₇-alkoxy, linear- or branched-C₁-C₇-~~
~~thioalkoxy, carbocyclic aryl, heteroaryl, heterocycloalkyl, and NH₂, where~~
~~each R₂₇ may be substituted (optionally mono- or disubstituted- by one or~~
~~two substituents independently selected from lower linear- or branched-C₁-~~
~~C₇-alkyl, carbocyclic aryl, heteroaryl, carbocyclic aryl- lower linear- or~~

branched-C₁-C₇-alkyl, heteroaryl-linear- or branched-C₁-C₇-alkyl, heterocycloalkyl or and heterocycloalkyl- lower linear- or branched-C₁-C₇-alkyl), or ~~C(O)-R_x, O-C(O)-R_x, S(O)-R_x, O-S(O)-R_x, CH₂-O-R_x or NH-C(O)-R_x, where R_x is as defined above);~~

wherein

R_x is OH, linear- or branched-C₁-C₇-alkoxy, linear- or branched-C₁-C₇-thioalkoxy, carbocyclic aryloxy, heteroaryloxy, thio-carbocyclic aryloxy, thio-heteroaryloxy, carbocyclic aryl-linear- or branched-C₁-C₇-alkoxy, carbocyclic-aryl-linear- or branched-C₁-C₇-thioalkoxy, heteroaryl-linear- or branched-C₁-C₇-alkoxy, heteroaryl-linear- or branched-C₁-C₇-thioalkoxy, or NH₂, any of which may be substituted by one or two substituents independently selected from linear- or branched-C₁-C₇-alkyl, carbocyclic aryl, heteroaryl, carbocyclic aryl-linear- or branched-C₁-C₇-alkyl, heteroaryl-linear- or branched-C₁-C₇-alkyl, heterocycloalkyl and heterocycloalkyl-linear- or branched-C₁-C₇-alkyl;

carbocyclic aryl is a mono-, bi- or tricyclic aryl selected from phenyl, phenyl that is substituted by one, two or three substituents selected from linear- or branched-C₁-C₇-alkyl, linear- or branched-C₁-C₇-alkoxy, linear- or branched-C₁-C₇-thioalkoxy, phenyl, hydroxy, I, Br, Cl, F, cyano, trifluoromethyl, linear- or branched-C₂-C₇-alkylenedioxy, oxy-C₂-C₃-alkylene, 1- or 2-naphthyl; and 1- or 2-phenanthrenyl;

heterocycloalkyl is a mono-, bi- or tricyclic moiety comprising from 3-to-18 ring atoms, wherein 1-to-3 ring atoms is/are independently selected from O, S and N, and the remaining ring atoms are carbon atoms, which ring(s) is/are saturated or comprise(s) one or more unsaturated alkenyl or alkynyl bonds; and

heteroaryl is a mono- or bicyclic heteroaryl selected from pyridyl, indolyl, quinoxaliny, quinoliny, isoquinoliny, benzothienyl, benzofuranyl, benzopyranyl, benzothiophenyl, benzothiopyranyl, furanyl, pyrrolyl, thiazolyl, oxazolyl, isoxazolyl, triazolyl, tetrazolyl, pyrazolyl, imidazolyl and thienyl.

4-7. (Canceled)

8. (Currently amended) A pharmaceutical composition comprising a therapeutically-effective and TNF- α release-inhibiting amount of a compound according to Claim 4 3, or a pharmaceutically-acceptable salt thereof, for the prevention or treatment of an autoimmune or inflammatory disease or condition comprising an autoimmune component, in association with a pharmaceutically-acceptable diluent or carrier.

9-11. (Canceled)

12. (Currently amended) A compound according to claim 1, which is selected from the group consisting of:

2-methyl-4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butan-2-ol;

4-{5-[5-methoxy-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-2-methyl-butan-2-ol;

{4-[5-(4-methoxy-butyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine hydrochloride;

(E)-4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-but-3-en-2-ol;

{4-[5-(3-amino-3-methyl-but-1-ynyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

(E)-2-methyl-4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-but-3-en-2-ol;

~~4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-pyrrolidin-2-one;~~

~~4-{5-[5-methyl-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butan-1-ol;~~

1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-propan-2-ol;

2-methyl-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-propan-2-ol;
 2,2,N-trimethyl-3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-propionamide;
 2-methyl-4-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-pyrrol-1-
 yl}-butan-2-ol;
 2-(2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-
 ylmethyl}-cyclopropyl)-propan-2-ol;
 2,3,3-trimethyl-5-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-pentan-2-ol;
 2-((1R,2R)-2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-cyclopropyl)-propan-2-ol;
 2-((1S,2S)-2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-cyclopropyl)-propan-2-ol;
 2-ethoxy-2-methyl-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-
 yl]-thiophen-2-yl}-propan-1-one;
 {4-[5-(3-methoxy-propyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 2'-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 bicyclopropyl-1-ol;
 4-{3-methoxy-5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-2-methyl-butan-2-ol;
 {4-[5-(2-amino-2-methyl-propyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-
 tetramethyl-piperidin-4-yl)-amine;
 2,2-difluoro-3-methyl-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-
 4-yl]-thiophen-2-yl}-butane-1,3-diol;
 2,3,3-trimethyl-4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-butan-2-ol;
 [4-(5-benzyloxy-thiophen-2-yl)-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;

[4-(5-butyl-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 [4-(5-propoxy-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 {4-[5-(2-methoxy-ethoxy)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 {4-[5-(2-dimethylamino-ethoxy)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-
 tetramethyl-piperidin-4-yl)-amine (dihydrochloride);
 [4-(5-pyridin-4-yl-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-
 yl)-amine;
 1-methyl-4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-piperidin-4-ol;
 [4-(5-pyridin-3-yl-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-
 yl)-amine;
 [4-(5-pyridin-2-yl-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-
 yl)-amine;
 [4-(5-piperazin-4-yl-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-
 yl)-amine;
 4-(5-{2-[(8-aza-bicyclo[3.2.1]oct-3-yl)exo-amino]-pyrimidin-4-yl}-thiophen-2-yl)-1-
 methyl-piperidin-4-ol;
 8-aza-bicyclo[3.2.1]oct-3-yl-[4-(5-piperazin-1-yl-thiophen-2-yl)-pyrimidin-2-yl]-exo-
 amine;
 {4-[5-((E)-3-amino-3-methyl-but-1-enyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-
 tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(3-amino-3-methyl-butyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 2-methyl-4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-but-3-yn-2-ol;
 {4-[5-(3-RS-methyl-piperazin-1-yl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-
 tetramethyl-piperidin-4-yl)-amine;

5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-sulfonic acid amide;
 5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carboxylic acid ((S)-1-carbamoyl-2-phenyl-ethyl)-amide;
 (S)-3-phenyl-2-({5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonyl}-amino)-propionic acid methyl ester;
 (R)-3-phenyl-2-({5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonyl}-amino)-propionic acid methyl ester;
 2-benzyl-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonyl}-piperidin-4-one;
 1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonyl}-piperidine-4-carboxylic acid isopropylamide;
 biphenyl-4-yl-({5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonyl}-amino)-acetic acid methyl ester;
 (2S,4R)-4-hydroxy-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonyl}-pyrrolidine-2-carboxylic acid benzyl ester;
 5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carboxylic acid phenethyl-amide;
 [4-(1H-indol-3-yl)-piperidin-1-yl]-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-methanone;
 (4-[2,2']bithiophenyl-5-yl-5-methyl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-{5'-[5-methyl-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-5-yl}-ethanone;
 {4-[5'-(1-amino-ethyl)-[2,2']bithiophenyl-5-yl]-5-methyl-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [5-bromo-4-(4,5,6,7-tetrahydro-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 N-(2-{5-[5-bromo-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-ethyl)-acetamide,

{4-[5-(2-amino-ethyl)-thiophen-2-yl]-5-bromo-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {5-bromo-4-[5-(2-dimethylamino-ethyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-(4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-phenyl)-ethanone O-methyl-oxime,
 (4-{5-[4-((Z)-1-methyl-propenyl)-phenyl]-thiophen-2-yl}-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (4-{5-[4-(1-amino-ethyl)-phenyl]-thiophen-2-yl}-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [5-bromo-4-(5-chloro-thiophen-2-yl)-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 4-{5-[5-bromo-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butyric acid methyl ester;
 4-{5-[5-bromo-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butan-1-ol;
 {4-[5'-(1-amino-ethyl)-[2,2']bithiophenyl-5-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(3-aminomethyl-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(4-dimethylaminomethyl-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (4-{5-[(2-piperidin-1-yl-ethylamino)-methyl]-thiophen-2-yl}-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(5-[[methyl-(2-piperidin-1-yl-ethyl)-amino]-methyl]-thiophen-2-yl)-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 2-methyl-5-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-pentan-2-ol;
 {4-[5-(2-isopropylamino-ethyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

~~N-(2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-ethyl)-methanesulfonamide;~~
 (2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-ethyl)-urea;
 {5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-urea;
 N-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-methanesulfonamide;
 N-{5'-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-5-ylmethyl}-methanesulfonamide;
 {4-{5'-dimethylaminomethyl-[2,2']bithiophenyl-5-yl)-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {5'-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-5-ylmethyl}-urea;
 2-methoxy-N-{5'-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-5-ylmethyl}-acetamide;
 3-{3-methyl-5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-propionamide;
 {4-[5-(3-amino-3-ethyl-pentyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(2-methanesulfinyl-ethyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(3-methylsulfonyl-propyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(4-methanesulfonyl-butyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-pentan-3-ol;
 {4-[5-(1-amino-cyclohexylethynyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

(4-{5-[2-(1-amino-cyclohexyl)-ethyl]-thiophen-2-yl}-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-(2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-ethyl)-cyclobutanol;
 phenyl-(4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butyrylamino)-acetic acid methyl ester;
 {4-[5-(5-phenyl-pentyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (benzyl-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-amino)-acetic acid ethyl ester;
 1-(benzyl-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-amino)-2-methyl-propan-2-ol;
 1-phenyl-3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-propan-1-ol;
 3-ethyl-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-pentan-3-ol;
 3-({5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-amino)-propionitrile;
 3-(benzyl-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-amino)-propionitrile;
 3-(methyl-{5-[2-(1,2,2,6,6-pentamethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-amino)-propionitrile;
 N-(2-cyano-ethyl)-N-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-ylmethyl}-acetamide;
 1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-ethanone ~~Example-94~~;
 {4-[5-(4-chloro-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-methyl-5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carbonitrile;
 (4-[2,2']bithiophenyl-5-yl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

[4-(5-isopropenyl-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[5-(2-amino-ethyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(4,5,6,7-tetrahydro-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 4-chloro-2-((E)-2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-vinyl)-benzonitrile;
 2-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-4,5,6,7-tetrahydro-benzo[b]thiophen-4-ol;
 (2,2,6,6-tetramethyl-piperidin-4-yl)-(4-thieno[3,2-c]pyridin-2-yl-pyrimidin-2-yl)-amine;
 (4-chloro-phenyl)-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-methanol;
 N-(2-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-ethyl)-acetamide;
 {4-[5-(2-dimethylamino-ethyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-(4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-phenyl)-ethanone;
 3-methyl-5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carboxylic acid methyl ester;
 [4-(5-chloro-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butyric acid methyl ester;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-butyric acid;
 5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-carboxylic acid benzylamide;

[4-(5-nitro-thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 {4-[5-(4-methoxy-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 phenol;
 1-{5'-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-
 5-yl}-ethanone;
 {4-[5-(2-methoxy-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 {5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 methanol;
 5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-
 carboxylic acid (2-amino-ethyl)-amide;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 butan-1-ol;
 {4-[5-(3-methoxy-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 benzenesulfonamide;
 3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 benzonitrile;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 benzoic acid methyl ester;
 (4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 phenyl)-methanol;
 (3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 phenyl)-methanol;
 N-(3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 phenyl)-acetamide;

{4-[5-(3-amino-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 1-(3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 phenyl)-ethanone;
 5'-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-5-
 sulfonic acid amide;
 {4-[5-(1-amino-ethyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-
 4-yl)-amine;
 3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 propan-1-ol;
 3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 propionic acid methyl ester;
 {4-[5-(4-amino-butyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-
 4-yl)-amine;
 5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophene-2-
 carbonitrile;
 [4-(5-aminomethyl-thiophen-2-yl)-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-
 yl)-amine;
 {4-[5-(4-aminomethyl-phenyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 {5'-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-[2,2']bithiophenyl-5-
 yl}-methanol;
 2-methyl-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 thiophen-2-yl}-propan-1-ol;
 3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 propionamide;
 {4-[5-(3-amino-propyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 4-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-
 butan-2-ol;

[4-(5'-aminomethyl-[2,2']bithiophenyl-5-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-{3-methyl-5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-propionic acid methyl ester;
 acetic acid 2-methyl-2-nitro-1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-propyl ester;
 6-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-hexanenitrile;
 {4-[5-(6-amino-hexyl)-thiophen-2-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-pentan-3-one;
 1-phenyl-3-{5-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-thiophen-2-yl}-propan-1-one,
 4-(4-benzo[b]thiophen-2-yl-pyrimidin-2-ylamino)-piperidine-1-carboxylic acid ethyl ester;
 4-(4-benzo[b]thiophen-2-yl-pyrimidin-2-ylamino)-2,2,6,6-tetramethyl-piperidin-1-ol;
 (4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-(1,2,2,6,6-pentamethyl-piperidin-4-yl)-amine;
 (4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-(1-benzyl-piperidin-4-yl)-amine;
 (4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-piperidin-4-yl-amine;
 3-[4-(4-benzo[b]thiophen-2-yl-pyrimidin-2-ylamino)-piperidin-1-yl]-propionitrile;
 [4-(6-methoxy-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 2-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-benzo[b]thiophen-6-ol;
 [4-(6-ethoxy-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(6-allyloxy-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

[4-(6-oxiranylmethoxy-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

1-isopropylamino-3-{2-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-benzo[b]thiophen-6-yloxy}-propan-2-ol;

[4-(6-methoxy-benzo[b]thiophen-2-yl)-5-methyl-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

1-isopropylamino-3-{2-[5-methyl-2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-benzo[b]thiophen-6-yloxy}-propan-2-ol;

[1-(3-amino-propyl)-piperidin-4-yl]-(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-amine

Example 161a;

(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-(2,2,6-trimethyl-piperidin-4-yl)-amine;

(5-aza-spiro[3.5]non-8-yl)-(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-amine;

(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-*trans*-(2,6-dimethyl-piperidin-4-yl)-amine;

[4-(3-methyl-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

[4-(5-methyl-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

[4-(7-methoxy-benzo[b]thiophen-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

(4-benzo[b]thiophen-5-yl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

2-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-benzo[b]thiophene-7-carboxylic acid (2-diethylamino-ethyl)-amide;

8-aza-bicyclo[3.2.1]oct-3-yl-(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-endo-amine;

8-aza-bicyclo[3.2.1]oct-3-yl-(4-benzo[b]thiophen-2-yl-pyrimidin-2-yl)-exo-amine;

(2R,4R)-4-(4-benzo[b]thiophen-2-yl-pyrimidin-2-ylamino)-piperidine-2-carboxylic acid methyl ester;

(4-benzo[b]thiophen-2-yl-5-methyl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

[4-(4-pyridin-4-yl-phenyl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 1-methyl-4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-
 piperidin-4-ol;
 [4-(4-pyridin-3-yl-phenyl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 [4-(4-pyridin-2-yl-phenyl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 {4-[4-(4-methyl-piperazin-1-yl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 {4-[6-(3-amino-3-methyl-butyl)-pyridin-3-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 [4-(4-methylsulfanyl-phenyl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;
 (4-naphthalen-2-yl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(4-bromo-phenyl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (2,2,6,6-tetramethyl-piperidin-4-yl)-[4-(4-vinyl-phenyl)-pyrimidin-2-yl]-amine;
 4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 benzenesulfonamide;
 N-(2-hydroxy-ethyl)-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-
 benzenesulfonamide;
 {4-[4-(3-amino-3-methyl-butyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-
 piperidin-4-yl)-amine;
 3-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-propionic
 acid methyl ester;
 2-methyl-4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-
 butan-2-ol;
 3-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-
 propionamide;
 {4-[4-(2-amino-ethyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-
 amine;

3-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-propan-1-ol;

{4-[4-(3-amino-propyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

{4-[4-(3-methoxy-propyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-butyronitrile;

~~A solution of toluene-4-sulfonic acid 3-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-propyl ester (80 mg, 0.15 mmol), (Step A of Example 190), KCN (20;~~

{4-[4-(4-amino-butyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-butan-2-one;

4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-butan-2-ol;

{4-[4-(3-amino-butyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

2-methyl-4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenyl}-butyronitrile;

{4-[4-(2-amino-propyl)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

2-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenoxy}-benzonitrile;

{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenoxy}-acetonitrile ple 204;

{4-[4-(2-imidazol-1-yl-ethoxy)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

4-{4-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-phenoxy}-butyronitrile;

{4-[4-(pyridin-4-ylmethoxy)-phenyl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (4-indol-1-yl-pyrimidin-2-yl)-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(4-methoxy-indol-1-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-{1-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-3-yl}-ethanone;
 [4-(5-methoxy-indol-1-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 1-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-3-carbonitrile;
 1-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-3-carboxylic acid amide;
 1-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-4-carbonitrile;
 1-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-4-carboxylic acid amide;
 [4-(1-methyl-indol-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(1H-indol-2-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(1-methyl-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-5-carbonitrile;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-6-carbonitrile;
 [4-(5H-[1,3]dioxolo[4,5-f]indol-7-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(6-methoxy-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-ol;

[4-(7-methoxy-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-ol;
 {4-[6-(2-amino-propyl)-1H-indol-3-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {6-methoxy-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-indol-1-yl}-acetonitrile;
 [4-(7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(6-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(1H-pyrrolo[2,3-b]pyridin-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(7-chloro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(6-chloro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (2,2,6,6-tetramethyl-piperidin-4-yl)-[4-(6-trifluoromethyl-1H-indol-3-yl)-pyrimidin-2-yl]-amine;
 [4-(7-methyl-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 2-methyl-4-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-butan-2-ol;
 [4-(6,7-difluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 2-methyl-4-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-butan-2-ol;
 [4-(5,7-difluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 {4-[6-(morpholine-4-sulfonyl)-1H-indol-3-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;

[4-(5-fluoro-7-methyl-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-6-sulfonic acid dimethylamide;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-7-carbonitrile;
 [4-(7-nitro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-ylamine;
 N-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-acetamide;
 [4-(7-bromo-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(1H-pyrrolo[3,2-h]quinolin-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 morpholin-4-yl-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-methanone;
 3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indole-7-sulfonic acid methylamide;
 (5-aza-spiro[3.5]non-yl)-[4-(chloro-1H-indol-3-yl)-pyrimidin-2-yl]-amine;
 [4-(7-chloro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2-dimethyl-piperidin-4-yl)-amine;
 [4-(7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2-dimethyl-piperidin-4-yl)-amine;
 (1-aza-spiro[5.5]undec-4-yl)-[4-(7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-amine;
trans-(2,6-dimethyl-piperidin-4-yl)-[4-(1H-indol-3-yl)-pyrimidin-2-yl]-amine;
 [4-(7-chloro-1H-indol-3-yl)-pyrimidin-2-yl]-*trans*-(2,6-dimethyl-piperidin-4-yl)-amine;
trans-(2,6-dimethyl-piperidin-4-yl)-[4-(7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-amine;
 ((2R,4R,6S)-2,6-dimethyl-piperidin-4-yl)-[4-(7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-amine;
 ((2R,4S,6S)-2,6-dimethyl-piperidin-4-yl)-[4-(7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-amine;

[4-(5-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(6-chloro-5-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(7-chloro-5-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 [4-(6-chloro-7-fluoro-1H-indol-3-yl)-pyrimidin-2-yl]-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (E)-4-{5-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-2-methyl-but-3-en-2-ol;
 (E)-3-{5-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-acrylonitrile;
 (E)-4-{5-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-2-methyl-but-3-en-2-ol;
 (E)-3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-acrylonitrile;
 {4-[6-((E)-2-imidazol-1-yl-vinyl)-1H-indol-3-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 (E)-3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-acrylonitrile;
 (E)-N,N-dimethyl-3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-acrylamide;
 (E)-2-methyl-3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-acrylonitrile;
 4-{5-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-2-methyl-butan-2-ol;
 3-{5-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-propionitrile;
 3-{7-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-propionitrile;

4-{5-fluoro-3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-2-methyl-butan-2-ol;
 3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-6-yl}-propionitrile;
 {4-[6-(2-imidazol-1-yl-ethyl)-1H-indol-3-yl]-pyrimidin-2-yl}-(2,2,6,6-tetramethyl-piperidin-4-yl)-amine;
 3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-propionitrile;
 N,N-dimethyl-3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-propionamide; and
 2-methyl-3-{3-[2-(2,2,6,6-tetramethyl-piperidin-4-ylamino)-pyrimidin-4-yl]-1H-indol-7-yl}-propionitrile;
 or and a pharmaceutically-acceptable salt of any thereof.

13. (Canceled)

14. (Currently amended) A method for the treatment of conditions mediated by TNF, TNF α , IL-1 or COX-2 that are inflammatory conditions comprising an autoimmune component, which method comprises administering to a patient in need of such treatment a therapeutically-effective and TNF α -inhibiting amount of a compound according to Claim 4 3, or a pharmaceutically-acceptable salt thereof.

15. (New) A pharmaceutical composition comprising a therapeutically-effective and TNF- α release-inhibiting amount of a compound according to Claim 12, or a pharmaceutically-acceptable salt thereof, for the treatment of an inflammatory condition comprising an autoimmune component, in association with a pharmaceutically-acceptable diluent or carrier.

16. (New) A method for the treatment of conditions mediated by $\text{TNF}\alpha$ that is an inflammatory condition comprising an autoimmune component, which method comprises administering to a patient in need of such treatment a therapeutically-effective and $\text{TNF}\alpha$ -inhibiting amount of a compound according to Claim 12, or a pharmaceutically-acceptable salt thereof.